

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

DATE MAILED: 06/15/2006

APPLICATION NO.	FIL	NG DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/896,508	06/29/2001		Zhan He	REVEO-0120USAACN01	8116
26665	7590	06/15/2006		EXAMINER	
REVEO, IN	C.			TRAN, D	ZUNG D
3 WESTCHE	STER PLA	AZA			
ELMSFORD	NY 105	23	ART UNIT	PAPER NUMBER	
	,			2613	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	, Applicant(s)	A
	09/896,508	HE ET AL.	
Office Action Summary	Examiner	Art Unit	
	Dzung D. Tran	2613	
The MAILING DATE of this communication apperiod for Reply	pears on the cover sheet wi	th the correspondence addr	ess
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNION 136(a). In no event, however, may a reward will apply and will expire SIX (6) MON e, cause the application to become AB	CATION. Eply be timely filed THS from the mailing date of this command on the mailing date of this command on the command of the command on	
Status			
 1) ⊠ Responsive to communication(s) filed on 13 M 2a) ☐ This action is FINAL. 2b) ☒ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under a 	s action is non-final. ance except for formal matte		nerits is
Disposition of Claims			
4) ☐ Claim(s) 1-42 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	cepted or b) objected to be drawing(s) be held in abeyand otion is required if the drawing	ce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR	
Priority under 35 U.S.C. § 119		•	
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in A prity documents have been au (PCT Rule 17.2(a)).	pplication No received in this National S	tage
Attachment(s) 1) Notice of References Cited (PTO-892)		Summary (PTO-413)	
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 	5 D 1 1 1 1	s)/Mail Date nformal Patent Application (PTO-1 	152)

DETAILED ACTION

Specification

Claim Rejections - 35 USC § 112

1. Claims 1-42 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

In claims 1 and 29, the newly added limitations "a first portion of the data stream information being encoded in a first optical carrier signal at the first wavelength, and the second portion of the data stream information being encoded in a second optical carrier signal at the second wavelength" and "decode a first portion of the data stream information from a first optical carrier signal, and the second portion of the data stream information from a second optical carrier signal "which is not described in the specification or shown in the drawing.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Art Unit: 2613

Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 1, 2, 3, 9-13, 21-26, 29, 30, 31, 33 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayee et al. (Hereinafter Hayee)(U.S. Pat. No. 6,714,742 B1).

Regarding claims 1 and 29, as far as examiner understood, Hayee discloses a free-space (col. 1, line 17) optical communication system (fig. 2), and method, comprising:

a transmitter (201) configured to encode and transmit over fiber or free-space(col. 1, line 17), information in at least two discrete optical carrier signals (col. 1, lines 25-29 and (col. 4, lines 14-21); and

a receiver (205) configured to receive and decode the information from said discrete optical carrier signals (col. 1, lines 41 and col. 4, lines 37-47);

said first carrier signal including information corresponding to logical l's, and said second carrier signal including information corresponding to logical 0's. (col. 3, lines 47-55). The difference between Hayee and the claimed invention is that Hayee does not teach to transmit a first portion of the data stream information being encoded in a first optical carrier signal at the first wavelength, and the second portion of the data stream information being encoded in a second optical carrier signal at the second wavelength" and "decode a first portion of the data stream information from a first optical carrier signal, and the second portion of the data stream information from a second optical carrier signal. However, Hayee discloses the discrete optical carrier

Art Unit: 2613

signals include a first carrier signal and a second carrier signal wherein the first carrier signal including information corresponding to logical I's, and said second carrier signal including information corresponding to logical 0's. (col. 3, lines 47-55). Thus, if it is not inherently, it would have been obvious to one of ordinary skill in the art that the data stream information being encoded in a first optical carrier signal at the first wavelength, and the second portion of the data stream information being encoded in a second optical carrier signal at the second wavelength" and "decode a first portion of the data stream information from a first optical carrier signal, and the second portion of the data stream information from a second optical carrier signal

Regarding claims 2 and 30, Hayee discloses said transmitter is configured to encode digital information into at least two discrete optical carrier signals (col. 2, lines 36-38).

Regarding claims 3 and 31, Hayee discloses discrete optical carrier signals include a first carrier signal and a second carrier signal;

said first carrier signal including information corresponding to logical l's, and said second carrier signal including information corresponding to logical 0's. (col. 3, lines 47-55).

Regarding claims 23 and 33, Hayee discloses transmitter is configured to transmit data using multiple data channel with multiplexer (610, see fig. 6) for multiplexing plurality of data channels into a single beam, each channel having first and second ones of discrete optical carrier signal, and demultiplexer (620) for

Art Unit: 2613

demultiplexing single beam into first and second ones of said discrete optical carrier signals (Hayee, col. 6, lines 53-65).

Regarding claim 26, Hayee discloses transmitter including multiplexer (60, fig. 16) to be configured to multiplex said multiple channels into a single beam.

Regarding claims 9-13 24, 25 and 36, Hayee discloses the system as described in the above section. Hayee fails to show the range of carrier wavelengths and the difference range between the carrier wavelengths as cited in claims invention (claims 9-13 and 36), and channel bandwidth as cited in the claimed invention (claims 24, 25). However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to design or select the range of the wavelengths that satisfies user requirements, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re A 11er, 105 USPQ 233.

Regarding claims 21 and 22, the system of Hayee as described, fails to show the transmitter and receiver comprising a member of the group of parts/devices that cited in the claimed limitations (claims 21 and 22). However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use devices to perform the tasks of the system, since it has been held that a mere reversal of the essential working parts of a device involves only routine skill in the art. in re Einstein, 8 USPQ 167.

Art Unit: 2613

4. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hayee et al. (U.S. Pat. No. 6,714,724 B1), as applied in the claim 1, in view of Fukuda (U.S. Pat. No. 4,442,528).

Regarding claim 4, Hayee fails to show transmitter being configured to communicate a logical 1 by transmitting a positive amplitude optical pulse at a first carrier wavelength and to communicate a logical 0 by transmitting a positive amplitude optical pulse at a second carrier wavelength. However, Fukuda discloses either logical level 0 and/or level 1 can be configured for communication by transmitting a positive optical pulse of the carrier signal (Fukuda, col. 4, lines 26-32). Therefore, it would have been obvious to one having ordinary skill in the art to encoding/modulating digital optical signal design logical 1 in corresponding to a positive optical pulse as taught by Fukuda into the first carrier wavelength of Hayee, and logical 0 in corresponding to a negative optical pulse (also by Fukuda) into the second carrier wavelength of Hayee, in order to encode the signal (with two discrete carrier signals). One would have motivated for doing this since it is capable of deciding easily whether absence of a signal pulse is due to any abnormal in the signal transmission line or due to one of the 2-level signal pulses (Fukuda, col. 6, lines 52-56).

5. Claims 5 - 8, 27, 32, 34 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayee (U.S. Pat. No. 6,714,724 B1), as applied in the claims 1 in view of Smith (U.S. Pat. No. 6,204,810 B1).

Regarding claims 5 and 6, Hayee does not clearly show transmitter is configured to transmit at least two distinct optical beams, each beam comprising at least one of

Art Unit: 2613

said discrete optical carrier signals as recited in the claimed invention (claim 5), and receiver is configured to receive at least two distinct beams, each beam comprising at least one of said discrete optical carrier signals as cited in the claimed invention (claim 6). However, Smith discloses the limitations of the claimed invention (claims 5 and 6) (Smith, fig. 16, col. 18, lines 42-60). Therefore, it would have been obvious to one having ordinary skill in the art to configure the transmitter and receiver as taught by Smith into the system of Hayee and Mabuchi in order to transmit and receive two distinct optical beams. One would have motivated for doing this since it prevents interference that might occur in the transmission.

Regarding claims 7, 8 and 32, Smith also discloses a coupler (fig. 13) for coupling/multiplexing said optical signals (Smith, col. 14, line 35) and splitter for splitting/demultiplexing said optical signals (Smith, Col. 14, lines 40-42).

Regarding claims 27 and 34, Smith also discloses the method for multiplexing a plurality of data channels and demultiplexing said first and second beams into said first and second optical carrier signals of said data channels (Smith, fig. 16, col. 22, lines 15-19 and Col. 23, lines 52-55).

Regarding claim 35, Hayee mentions multiplexing and demultiplexing comprising dense wavelength division multiplexing (DWDM) (Hayee, col. 1, lines 28-30).

6. Claims 14-20 and 37, 38, 39, 40, 41 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayee (U.S. Pat. No. 6,714,724 B1), as applied in the claims 1 and 29, in view of Phillips et al. (Hereinafter "Phillips") (U.S. Pat. No. 6,072,994).

Art Unit: 2613

Regarding claims 14 and 37, Hayee discloses an optical communication system as described above. Hayee does not clearly show transmitter is configured to change a carrier wavelength of each of said at least two discrete optical carrier signals. However, Phillips shows the frequency (wavelength) to be configured to change (Phillips, col. 21, lines 31-32). Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to apply the teaching of Phillips on hopping (changing) frequency into the free-space optical system of Hayee in order to change a carrier wavelength of each of two optical carrier signals. One would have motivated for doing this to enhance security purpose (Phillips, col. 21, lines 22-25).

Regarding claims 15, 16, 38 and 39, the combination system of Hayee and Phillips as described, fails to show the range of wavelength changing (limitations in claims 15 & 16), and the ratio of the changing (limitation in claims 38 & 39). However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to design or select the range of the wavelength changing that satisfies user requirements, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re A11er, 105 USPQ 233.

Regarding claims 17, 18, 40 and 41 Phillips discloses the changing of carrier wavelengths is in random manner (Phillips, col. 59, lines 14-15), or in programmed manner (Phillips, col. 67, lines 60-64).

Regarding claims 19, 20 and 42, control bits to be embedded into carrier signals including information for changing wavelength/frequency. (Phillips, col. 45, lines 6, 13).

Art Unit: 2613

7. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (U.S. Pat. No. 5,608,722), in view of Hayee et al. (Hereinafter "Hayee") (U.S. Pat. No. 6,714,742).

Regarding claim 28, Miller discloses a wavelength modulated communication system comprising:

multiple transmitters (see fig.1);

multiple receivers;

multiple user (ports) (26, 28), each including at least one of said multiple receivers, and

multiple hubs (22, 24) (col. 7, lines 7-8), each configured for transmitting and receiving data with at least two of said multiple user ports (col. 7, lines 8-10).

multiple repeaters (14, 16, 18, 20) each configured to receive, amplify, and route the optical signal to at least one member of the group consisting of other repeaters, hubs, and user ports (col. 7, lines 8-10). Miller fails to show transmitter configured to encode information into at least two discrete optical carrier signals; and receiver configured to decoded the information from said at least two discrete optical carrier signals and transmitting station for transmit the first optical carrier signal and the inversion signal in second optical carrier signal. However, Hayee discloses transmitter to be configured to encode information into at least two discrete optical carrier signals (Hayee, col. 1, lines 49-56), and receiver to be configured to receive and decode the information from said at least two discrete optical signals (Hayee, col. 1, lines 56-62)

and Mabuchi teaches in Fig. 7 the transmitting station (1, 1', 2, 2') for transmitting a main signal and an inversion signal so that the pulse width at the receiving station is the same as the original pulse width as illustrated in Fig. 4. Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to employ the transmitter and receiver as taught by Hayee into the communication system of Miller in order to encode information into at least two discrete optical signals and transmit to the receiver, wherein, the receiver receives and decodes the information from the at least two discrete optical carrier signals. One would have been motivated for doing this to reduce the wavelength spacing between the two adjacent wavelengths (Hayee, col. 1, lines 25-35).

Response to Arguments

- 8. Applicant's arguments filed on 03/13/2006 have been fully considered but they are not persuasive.
- A Rejection of claims 1-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayee et al. US patent no. 6,714,724.

Applicant argues that Hayee reference is optical fiber system, it is not a free space system. Examiner respectfully disagree, in the background of Hayee reference, Hayee discloses the optical carrier transmitted through an optical link, which may be implemented in either free space or in an optical fiber (col. 1, lines 16-19). Furthermore, Hayee reference col. 7 and 8, claims 1-8 does not claimed the free space system.

Art Unit: 2613

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dzung D Tran whose telephone number is (571) 272-3025. The examiner can normally be reached on 9:00 AM - 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571) 272-3022. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dzung Tran 06/10/2006